Journal of Obstetric, Gynecologic, & Neonatal Nursing

OGNN

Scholarship for the Care of Women, Childbearing Families, & Newborns

July 2022 Volume 51 • Number 4



EDITORIAL

New Strategic Plan From the National Institute of Nursing Research

CRITICAL COMMENTARY

Developments in Nursing Practice to Address Substance Use in the Perinatal Period

REVIEWS

Scoping Review of Postpartum Discharge Education Provided by Nurses

Dimensional Analysis of Shared Decision Making in Contraceptive Counseling

RESEARCH

Early Postpartum Maternal and Newborn Responses to Auditory, Tactile, Visual, Vestibular, and Olfactory Stimuli

Experiences of Women of Short Stature During the Perinatal Period Factors Associated With Smoking Relapse Among Women in Japan From Pregnancy to Early Parenthood

METHODS

Moral Distress and Burnout in NICU Nurses

Cross-Cultural Adaptation and Psychometric Evaluation of the Neonatal Eating Assessment Tool-Breastfeeding Into Tamil

Psychometric Properties of an Instrument to Measure the Quality of Family-Centered Care in NICUs


AWHONN Position STATEMENT

Perinatal Mood and Anxiety Disorders

ONLINE SUPPLEMENT

Standards for Professional Registered Nurse Staffing for Perinatal Units





Scholarship for the Care of Women, Childbearing Families, & Newborns

IAS

EDITORIAL

359 New Strategic Plan From the National Institute of Nursing Research

JOGNN's new Editor in Chief discusses a strategic plan for nursing research.

Joyce K. Edmonds

CRITICAL COMMENTARY

361 Developments in Nursing Practice to Address Substance Use in the Perinatal Period

Although evidence-informed care practices for women with substance use disorders and their infants have advanced over time, further development and broader implementation are needed.

Lenora Marcellus, Lisa Cleveland, Denise Maguire, Stacy Blythe, Daisy Goodman, Madge Buus-Frank, and Karen McQueen

REVIEWS

377 Scoping Review of Postpartum Discharge Education Provided by Nurses

Postpartum education is prioritized by mothers and nurses, but effectiveness has not been well studied. Research is needed to inform best practices for discharge education provided by nurses.

Deborah McCarter, Alicia A. Law, Hannah Cabullo, and Karlye Pinto

388 Dimensional Analysis of Shared Decision Making in Contraceptive Counseling

A synthesis of the literature on shared decision making in reproductive health care showed that providers and patients experience and define this approach differently.

Lauren Gerchow and Allison Squires

RESEARCH

402 Early Postpartum Maternal and Newborn Responses 6 to Auditory, Tactile, Visual, Vestibular, and Olfactory Stimuli

Little is known regarding factors that regulate early behavioral and endocrine responses, especially early sensory and behavioral experiences, between a mother and her newborn.

Rosemary White-Traut, Patricia Gillette, Pippa Simpson, Liyun Zhang, Hossein P. Nazarloo, and C. Sue Carter

418 Experiences of Women of Short Stature During the Perinatal Period

Disability education for clinicians is essential for the provision of effective, disability-focused maternity care.

Serah Nthenge, Lauren Smith, Sandy Ho, and Monika Mitra

428 Factors Associated With Smoking Relapse Among Women in Japan From Pregnancy to Early Parenthood

Smoking relapse was associated with symptoms of depression when participants quit before pregnancy and with multiparity when they quit after pregnancy.

Miyuki Mori, Kayoko Ishii, Aya Goto, Hironori Nakano, Kohta Suzuki, Misao Ota, Seiji Yasumura, and Keiya Fujimori

METHODS

441 Moral Distress and Burnout in NICU Nurses

When used with NICU nurses, the Moral Distress Scale–Revised indicated that strategies to mitigate moral distress and burnout should address care that is futile, compromised, or untruthful.

Peter Barr

Continued

On Our Cover:

Albert Weisgerber Woman From Somalia. 1912. Location: Neue Pinakothek, Bayerische Staatsgemaeldesammlungen, Münich, Germany. Photo credit: Bildarchiv Preussischer Kulturbesitz/Art Resource, NY.

JOGNN CONTENTS, CONTINUED

50 Cross-Cultural Adaptation and Psychometric Evaluation of the Neonatal Eating Assessment Tool-Breastfeeding Into Tamil

There is evidence for the reliability and validity of the adapted NeoEAT-Breastfeeding (Tamil) parent-report assessment of breastfeeding for infants from birth to 7 months of age.

Gopalakrishnan Jayapradha, Lakshmi Venkatesh, Prakash Amboiram, Prabha Sudalaimani, Radish Kumar Balasubramanium, and Britt Frisk Pados

Psychometric Properties of an Instrument to Measure the Quality of Family-Centered Care in NICUs

The DigiFCC-P has satisfactory internal consistency and sensitivity, but further modifications are needed to increase the validity of the instrument.

Emma Kainiemi, Renée Flacking, Liisa Lehtonen, Miko Pasanen, and Anna Axelin

ARTICLES ONLINE

Access these and all articles at http://jognn.org.

AWHONN POSITION STATEMENT

el Perinatal Mood and Anxiety Disorders

ONLINE SUPPLEMENT

S1 Standards for Professional Registered Nurse Staffing for Perinatal Units

Association of Women's Health, Obstetric and Neonatal Nurses