Journal of Obstetric, Gynecologic, & Neonatal Nursing

Scholarship for the Care of Women, Childbearing Families, & Newborns

MARCH 2024, VOLUME 53, NUMBER 2

JOGNN.org

EDITORIALS

Drug Testing of Pregnant Patients
Shared Decision Making in Perinatal Care

COLUMNS

INTERPRETATIONS OF CURRENT MATERNAL AND NEONATAL RESEARCH TRIALS

Probiotics, Prebiotics, Lactoferrin, and Combination Products to Prevent Mortality and Morbidity in Preterm Infants

CURRENT EVIDENCE TO GUIDE PRACTICE, POLICY, AND RESEARCH

Screening for Intimate Partner Violence

REVIEW

Meta-ethnography on the Experiences of Women From Around the World Who Exclusively Breastfed Their Full-Term Infants

RESEARCH

Association Between Recurrent Preeclampsia and Attendance at the Blood Pressure Monitoring Appointment After Birth Feasibility Study to Compare Oxytocin Function Between Body Mass Index Groups at Term Labor Induction

Phenomenological Study of Women's Experiences of Neonatal Transport After Childbirth in Korea

Relationships Among Number of Stressors, Perceived Stress, and Salivary Cortisol Levels During the Third Trimester of Pregnancy

Determinants of Physical Activity Among Black Women During Pregnancy

Randomized Controlled Trial on the Effect of the Neonatal Nurse Navigator Program on Maternal Stress and Neonatal Cortisol Levels

HEALTH CARE IMPROVEMENT AND EVALUATION

Readiness to Implement a Doula-Hospital Partnership Program

AWHONN PRACTICE BRIEF

Decreased Fetal Movement: AWHONN Practice Brief #20





ELSEVIER

JOGNN

Scholarship for the Care of Women, Childbearing Families, & Newborns

MARCH 2024, VOLUME 53, NUMBER 2

JOGNN.org

EDITORIALS

93 Drug Testing of Pregnant Patients

The authors describe the potential negative outcomes of drug testing of pregnant patients.

Lisa M. Cleveland and Kelly McGlothen-Bell

96 Shared Decision Making in Perinatal Care

The authors address the practice of shared decision making during maternity care in hospital settings.

Rachel Blankstein Breman, Alex Waddell, and Vanessa Watkins

COLUMNS

INTERPRETATIONS OF CURRENT MATERNAL AND NEONATAL RESEARCH TRIALS

101 Probiotics, Prebiotics, Lactoferrin, and Combination Products to Prevent Mortality and Morbidity in Preterm Infants

The U.S. Food and Drug Administration does not regulate dietary supplements such as probiotics and prebiotics for the preterm infant, which can create a safety hazard.

Ellise D. Adams

CURRENT EVIDENCE TO GUIDE PRACTICE, POLICY, AND RESEARCH

106 Screening for Intimate Partner Violence

The author provides current evidence on screening for intimate partner violence.

Summer Sherburne Hawkins

REVIEW

120 Meta-ethnography on the Experiences of Women From Around the World Who Exclusively Breastfed Their Full-Term Infants

Women may need 6 months of paid maternity leave and increased support from nurses and other health care professionals and family members to successfully practice exclusive breastfeeding.

Tumilara Aderibigbe, Pornpan Srisopa, Wendy A. Henderson, and Ruth Lucas

RESEARCH

132 Association Between Recurrent Preeclampsia and Attendance at the Blood Pressure Monitoring Appointment After Birth

Recurrent preeclampsia was associated with significantly reduced odds of attending the postpartum blood pressure monitoring appointment.

Eleanor Saffian and Anna Palatnik

140 Feasibility Study to Compare Oxytocin Function Between Body Mass Index Groups at Term Labor Induction

In pregnant women with and without obesity, variations in oxytocin system function may be related to differences in labor outcomes.

Angela B. Maeder, Aleeca F. Bell, Barbara L. McFarlin, Chang G. Park, Michelle A. Kominiarek, Paloma Toledo, C. Sue Carter, Hans Nazarloo, and Susan C. Vonderheid

151 Phenomenological Study of Women's Experiences of Neonatal Transport After Childbirth in Korea

Women who experience neonatal transport after childbirth require tailored nursing interventions to ensure that postnatal care and healthy maternal transition are not hindered.

Hye Min Byun and Jeong Hee Eom

160 Relationships Among Number of Stressors, Perceived Stress, and Salivary Cortisol Levels During the Third Trimester of Pregnancy

The number of stressors was related to perceived stress, but only perceived stress was associated with cortisol levels during the third trimester.

Rebecca Salomon and Sandra Weiss

JOGNN CONTENTS, Continued

172 Determinants of Physical Activity Among Black Women During Pregnancy

Low physical activity levels among Black pregnant participants suggest the need to examine social, cultural, and environmental factors that influence physical activity.

Meghan Garland, JoEllen Wilbur, Michael Schoeny, Monique Reed, Pamela Semanik, Shannon Halloway, and Thaddeus Waters

185 Randomized Controlled Trial on the Effect of the Neonatal Nurse Navigator Program on Maternal Stress and Neonatal Cortisol Levels

Participant involvement in caring for their high-risk neonates significantly reduced maternal and neonatal stress in the NICU.

N. Siva, Baby S. Nayak, Leslie Edward S. Lewis, Binil Velayudhan, Revathi P. Shenoy, Mallimoggala Phaneendra, and Ravi Shankar

HEALTH CARE IMPROVEMENT AND EVALUATION

197 Readiness to Implement a Doula-Hospital Partnership Program

Clinicians working in labor and delivery indicated a high level of readiness to implement a doula–hospital partnership program.

Marisa C. DaCosta, Joyce Mogaka, Laura Gebhardt, Sarah L. Goff, Neena Qasba, and Laura Attanasio

ARTICLES ONLINE

Access these and all articles at http://jognn.org.

AWHONN PRACTICE BRIEF

e1 Decreased Fetal Movement: AWHONN Practice Brief #20

Association of Women's Health, Obstetric and Neonatal Nurses